

DURATEC
POWERED BY INNOVATION

Duratec Tools Ltd.

-  Add: Yejin Road 125, Wujiang, Suzhou, 215200, China
-  Tel: +86 512 63120623
-  Fax: +86 512 63120699

Durapro Trading Ltd. Durapro Industries Ltd.

-  Add: Shanlonghe Road 35, Huangdao, Qingdao, China
-  Tel: 15162509358
-  E-mail: sales@dura.info
-  Web: www.duratec.cn







Qingdao Factory



Suzhou Factory

About Us

Duratec is a professional hand tool manufacturer. Located in Suzhou and Qingdao, Duratec owns over 65,000 square meters of manufacturing and warehousing facilities.

Duratec's in-house tooling department, injection molding department, and assembly department offer a complete production process and fast response to customers' needs.

Duratec is certified compliant with ISO9001 and BSCI.



► Industry-leading Automation



With the latest central conveying system, and in-line masterbatch dosers, we achieve fully automatic material transfer and color dosing.

Customers are guaranteed for more stability in production, and lower cost.

► Powered by Innovation



Duratec's R&D team is recognized for its outstanding capacity for product development.

By developing customized products for specific customer needs, or adding functional features through innovation, Duratec creates added value for customers and end-users.



Slow Wire EDM

The excellence of slow wire EDM is its ability to produce exceptionally precise, mirror-finish cuts with minimal surface stress in even the hardest materials

Inspection Equipments

Duratec's inspection equipment ensures unparalleled product quality by delivering precise and repeatable measurements that strictly adhere to the highest standards



Printing Machines

Our printing equipment guarantees exceptional product aesthetics by delivering consistently vibrant, precise, and flawless finishes

CNC Machines

The CNC equipment produces high-quality parts through exceptional precision, unwavering repeatability, and superior surface finishes



Clamps & Vises

Parallel Clamps



691 Heavy Duty Parallel Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT69995XXX	95mm	300mm~1500mm	6000N



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT69195XXX	95mm	300mm~1500mm	6000N

690 Heavy Duty Parallel Clamp


- **Replaceable Soft Cushions**
PP cushions to protect the workpiece from damage
- **Capacity Size**
300mm~1500mm
- **Ductile Cast Arms**
Ductile cast arms for big clamping force and better durability
- **C45 Steel Rail**
Hardened iron rail with hexagonal hobbing for big clamping force



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT69095XXX	95mm	300mm~1500mm	6000N

693 Parallel Clamp

- **Cushions**
Large clamping surfaces for evenly distributed pressure
- **Capacity Size**
300mm~1200mm
- **Ductile Cast Arms**
Reinforced ductile cast arms for better strength up to 400kg
- **Handle**
Ergonomic bi-material handle for comfortable grip
- **Steel Rail**
C45 rail with hexagonal rolling teeth for anti-slip



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT69385XXX	85mm	300mm~1200mm	4000N

899 Parallel Clamp

- **PP Cushions**
PP cushions to protect the workpiece from damage
- **Capacity Size**
300mm~1500mm
- **Cast Arms**
Ductile cast arms for big clamping force and durability
- **Handle**
Ergonomic bi-material handle for comfortable grip
- **Steel Rail**
C45 steel rail with hexagonal hobbing for big clamping force



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT89900XXX	90mm	300mm~1500mm	4500N

898 Light Duty Parallel Clamp

- **Large Clamping**
Large clamping surfaces for evenly distributed pressure
- **Handle**
Ergonomic bi-material handle for comfortable grip
- **Steel Rail**
C45 steel guiding rail
- **Positioning Block**
Easily removable positioning block



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT89800XXX	80mm	200mm~600mm	1500N

696 Swivel Jaw

Clear Molded Scale

Swivel up to +/- 22.5°
Compatible with DURATEC
690/691 Heavy Duty
Parallel Clamps

Non-90° Clamping

Ideal for non-90° clamping Stackable for
larger clamping surfaces




Durable Structure

Reinforced body design

Slides Smoothly

Slides Smoothly on PC Jaws



695 Swivel Jaw

Clear Molded Scale

Swivel up to +/- 22.5°
Compatible with
DURATEC 899 Parallel
Clamps Pro

Material

Reinforced body design




Non-90° Clamping

Ideal for non-90° clamping
Stackable for larger clamping surfaces

Slides Smoothly

Slides smoothly on PC Jaws



697 Joint Bridge


Material

Strong engineering-grade plastic body



Applications

Used with Parallel clamps, easily create flat panels to
align between boards for a smooth finish



With four screw holes, it can be fixed on the workpiece

692 Parallel Clamp Block

With Two Slots

Design with two slots for fixing 9 x 29mm
rails(699/690/691/899 series)



Easy To Assemble

Lightweight and easy to assemble

With Two Holes

With two holes for fixing to the bench



694 Parallel Clamp Positioning Block

Material

Made from strong engineering-grade plastics




Easy Installation

Quick and easy installation
onto the rails

Dog Holes

Fits snugly into 19mm
and 20mm dog holes



Quick Clamps



I-Beam Structure
I-beam structural and widened C45 rail to reduce unwanted bending



Protective Cushions
TPU protective cushions for protecting the workpiece from damage

Clamping Capacity
Clamping Capacity 150mm-1200mm

Steel Rail
Heat treatment C45 steel rail

Materials
Strong engineering-grade plastic


Button
Movable button for converting the clamp to spreader

Long Leverage Design
Long leverage design for reaching high pressure easily

Quick Release Trigger
Optimized design structure for easy release


Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66190XXX	90mm	150mm~1200mm	3000N

661-80mm Heavy-Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66180XXX	80mm	150mm~900mm	1500N

661-60mm Light-Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66160XXX	60mm	150mm~600mm	600N

661-65mm Medium-Duty Bar Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66165XXX	65mm	150mm~600mm	800N

661-35mm Micro Bar Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66135XXX	35mm	100mm	200N

733-90mm Ultra Heavy Duty Bar Clamp



I-Beam Structure

I-beam structural and widened C45 rail to reduce unwanted bending

Protective Cushions

TPU protective cushions for protecting the workpiece from damage

Steel Rail

Heat treatment C45 steel rail

Clamping Capacity

Clamping Capacity
150mm-1200mm

Rotating Jaw System

Secure clamping of irregularly shaped workpieces



Button

Movable button for converting the clamp to spreader

Handle

Long leverage design & durable nylon handle

Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT73390XXX	90mm	150mm~1200mm	3000N

733-80mm Heavy Duty Bar Clamp

Steel Rail

Heat treatment C45 steel rail

Protective Cushions

TPU protective cushions

Materials

Strong engineering-grade plastic

Long Leverage Design

Long leverage design durable nylon handle

Quick Release Trigger

Quick release trigger

Quick Release Trigger

Quick release trigger

Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT73380XXX	80mm	1500mm~900mm	1800N

733-70mm Medium Duty Bar Clamp

Steel Rail

Heat treatment C45 steel rail

Protective Cushions

TPU protective cushions

Materials

Strong engineering-grade plastic

Long Leverage Design

Long leverage design durable nylon handle

Button


Quick converted button

Quick Release Trigger

Quick release trigger

Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT73370XXX	70mm	150mm~600mm	1200N

660-90mm Heavy Duty Bar Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66090XXX	90mm	150mm~1200mm	2300N

660-80mm Heavy Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66080XXX	80mm	150mm~900mm	1350N

660-65mm Medium Duty Bar Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66065XXX	65mm	150mm~600mm	700N

858-90mm Heavy Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85890XXX	90mm	150mm~1200mm	1800N

858-75mm Heavy Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85875XXX	75mm	150mm~900mm	1350N

858-65mm Medium Duty Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85865XXX	65mm	150mm~600mm	700N

858-30mm Micro Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85830100	30mm	100mm	150N

652-65mm Value Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT65265XXX	65mm	150mm~600mm	600N

652-60mm Value Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT65260XXX	60mm	150mm~600mm	500N

654-65mm Value Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT65465XXX	65mm	150mm~900mm	600N

855-60mm Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85560XXX	60mm	150mm~600mm	700N

855-30mm Bar Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85530XXX	30mm	100mm	150N

856-60mm Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85660XXX	60mm	150mm~600mm	700N

856-80mm Bar Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT85680XXX	80mm	150mm~900mm	1350N

650 Lever Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT65080XXX	80mm	100mm~300mm	1200N
DT65010XXX	100mm	200mm~600mm	1500N

772 Lever Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT77260XXX	60mm	160mm	1700N
DT77280XXX	80mm	160mm	3000N
DT77212XXX	120mm	300mm	3600N

773 Track Lever Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT77360XXX	60mm	160mm	1700N

775 Workbench Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT775260XXX	60mm	200mm	1700N

640 Light Lever Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT64090XXX	90mm	100mm~300mm	600N

641 Aluminum Lever Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT64190XXX	90mm	100mm~600mm	2000N

666 Bar Clamp Coupler



Applications


Connects two bar clamps into one for easily clamping larger projects
3 models for different matches ,
90 Series, for 660-90/661-90/733-90
80 Series, for 660-80/661-80/856-80/733-80
65 Series, for 652-65/654-65

Push Button

Fast and easy to use



667 Extended Jaw



Product Features

Can be used to extend both jaws of the clamp

Applications

Suitable for "L" type of woodworking
Fits with 856-60/858-65/660-65/661-65 series



Art.No.	Body Material	Cushion Material	Clamping Force(N)
DT66700000	PA6+30GF	TPU	/

665 Rotating Jaw



Product Features


Jaws swivel to maintain contact with irregular shapes

Applications

Compatible with DURATEC 661-60/652-60 series



658 Bar Clamp Base



Rail


Induction-hardened rail

Strengthening Screw

The rail is connected with a strengthening screw
Fits with 856-60/660-65 series



659 Corner Clamp



Material

Made from strong Nylon

Applications

Fits with 660/661/858-65mm & 856-60mm series



664 Vertical Workbench Clamp Accessories



Product Features


For use on multifunction tables with hole diameter of 20mm

Applications

Jaws swivel to maintain contact with irregular shapes
Connects two bar clamps into one for easily clamping larger projects
Fits with 661-60




661T-60mm Track Clamp



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66160XX1	60mm	/	600N

651 Deck Clamp



Screw Clamps



863 Heavy-Duty F Clamp

- Ductile Cast Arms**
Reinforced ductile cast iron arms for maximum strength
- PP Pads**
Protects the workpiece from damage
- Handle**
Optimized design spindle and bi-material handle for easier clamping
- C45 Hardened Rail**
Thicker and wider C45 rail for heavy-duty applications



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT86380XXX	80mm	150mm~600mm	5000N
DT86312XXX	120mm	300mm~2000mm	7000N

862 F Clamp

- Ductile Cast Arms**
Reinforced ductile cast iron arms for maximum strength
- PP Pads**
Protects the workpiece from damage
- Handle**
Ergonomic design handle for comfortable grip
- C45 Hardened Rail**
C45 steel, zinc-plated for rust resistance and durability



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT86260XXX	60mm	100mm~300mm	2000N
DT86280XXX	80mm	150mm~600mm	3000N
DT86212XXX	120mm	300mm~2000mm	5000N

865 Heavy-Duty F Clamp

- Ductile Cast Arms**
Reinforced ductile cast iron arms for maximum strength
- LLDPE Pads**
Protects the workpiece from damage
- Handle**
Optimized design spindle and bi-material handle for easier clamping
- Steel Rail**
The heat-treated wider and thicker C45 steel for heavy-duty applications



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT86550XXX	50mm	100mm~300mm	1700N
DT86580XXX	80mm	150mm~600mm	2700N
DT86512XXX	120mm	250mm~1000mm	4700N

861 F Clamp

- Reinforced Arms**
Malleable cast iron arms, powder-coated for improved appearance and rust resistance
- PP Pads**
Protects the workpiece from damage
- Handle**
Ergonomic bi-material handle for comfortable grip
- Steel Rail**
C45 steel, zinc-plated for rust resistance and durability



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT86150XXX	50mm	100mm~300mm	1700N
DT86180XXX	80mm	150mm~600mm	2700N
DT86110XXX	100mm	250mm~600mm	3700N
DT86112XXX	120mm	250mm~1000mm	4700N

860 Value F Clamp

- Reinforced Arms**
Malleable cast iron arms, powder-coated for improved appearance and rust resistance
- PP Pads**
Protects the workpiece from damage
- Handle**
Plastic non-slip handle
- Steel Rail**
C45 steel, zinc-plated for rust resistance and durability



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT86050XXX	50mm	100mm~300mm	1100N
DT86080XXX	80mm	160mm~600mm	2000N
DT86012XXX	120mm	250mm~1000mm	3000N

866 Zinc F Clamp

- Zinc-Plated Surface**
Arms made from zinc alloy die casting
- Handle**
Ergonomic design handle for comfortable grip
- Steel Rail**
C45 steel



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT86630XXX	30mm	50mm~150mm	1000N
DT86650XXX	50mm	100mm~300mm	1000N
DT86660XXX	60mm	150mm~400mm	1500N
DT86680XXX	80mm	150mm~600mm	1500N

777 F Clamp

- Flat Surface**
Stable and safe clamping without risk
- Wood Handle**
Lightweight and easy handling
- Alloy Steel Forging**
Strong and durable, not easy to rust and break

Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT77760XXX	60mm	160mm	1700N
DT77780XXX	80mm	200mm	2400N
DT77712XXX	120mm	300mm	3600N

774 Track Clamp

- Protective Pad**
Prevent scratch and slipping
- Wood Handle**
Lightweight and easy handling
- Alloy Steel Forging**
Strong and durable, not easy to rust and break

Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT77460XXX	60mm	120mm	1700N
DT77480XXX	80mm	200mm	2400N
DT77412XXX	120mm	300mm	3600N


864 Pipe Clamp

Used With Pipe Profile
Used with pipe profile, can adjust the clamping distance

Rotary Handle
Optimized spindle and rotary handle for easier clamping.

Sizes
Suitable for all kinds of size board operation.
Two sizes available: 1/2" and 3/4"

Material
Ductile cast iron arms and handle for better strength. Arms powder-coated for better appearance and rust resistance.




683 Clutch Style F Clamp

Material
Malleable cast iron arms, powder-coated for improved appearance and rust resistance

Material
Quick move function with adjustable plates

Steel Rail
C45 rail




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT68365XXX	65mm	150mm~300mm	2300N

681 Clutch Style Plastic F Clamp

Material
Lightweight arms made from Strong engineering-grade plastic

Trigger
Quick move function with adjustable plates

Steel Rail
C45 rail




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT68150XXX	50mm	150mm~300mm	1500N

680 Plastic F Clamp

Material
Lightweight arms made from Strong engineering-grade plastic

Handle
Soft handle for comfortable grip

Rail
C45 rail



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT68050XXX	50mm	150mm~300mm	1000N
DT68065XXX	65mm	150mm~300mm	1500N

797 Heavy Duty G Clamp



- T-Type Handle**
T-type rotary handle for easy power transfer
- Material**
Thicker ductile cast iron body for better clamping force, powder-coated surface for rust resistance
- Movable Clamp**
The movable clamp head can effectively keep the balance of the workpiece



Art.No.	Width	Clamping Capacity	Clamping Force(N)
DT79700001	45mm	25mm (1")	2000N
DT79700002	59mm	58mm (2")	3000N
DT79700003	65mm	90mm (3")	6000N
DT79700004	95mm	116mm (4")	8000N
DT79700005	120mm	130mm (5")	9000N
DT79700006	120mm	150mm (6")	10000N
DT79700008	150mm	210mm (8")	11000N

798 G Clamp



- Movable Clamp**
The movable clamp head can effectively keep the balance of the workpiece
- Material**
Thicker ductile cast iron body for better clamping force, powder-coated surface for rust resistance
- T-Type Handle**
T-type rotary handle for easy power transfer

Art.No.	Width	Clamping Capacity	Clamping Force(N)
DT79800001	45mm	25mm (1")	1000N
DT79800002	55mm	58mm (2")	2000N
DT79800003	85mm	90mm (3")	5000N
DT79800004	100mm	116mm (4")	6000N
DT79800005	110mm	130mm (5")	7000N
DT79800006	125mm	150mm (6")	7000N
DT79800008	140mm	210mm (8")	8000N

Light-duty Clamps



822 Spring Clamp



• **Material**

Strong engineering-grade plastic in compliance with RoHS and REACH

• **Special-grade Spring Steel**

Special-grade spring steel for increased durability

• **Handle**

Ergonomic bi-material handle for comfortable grip

Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT82200020	140mm	53mm (2")	120N
DT82200025	165mm	65mm (2.5")	150N
DT82200030	187mm	76mm (3")	150N

620 Ratchet Clamp



• **Rotate Cushions**

The clamp jaws can be adjusted according to the shape of the workpiece

• **Ratchet Design**

Labor-saving design for easy clamping and release



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT62000020	199mm	50mm (2")	150N
DT62000030	226mm	75mm (3")	150N
DT62000040	252mm	100mm (4")	150N

828 Clamp & Level



• **2 cylinder vials**

Horizontal and vertical directions with cylinder vials, measure and check whether the workpiece is level

• **Clamping Force**

Clamping range 0-75mm, clamping force up to 15 kg

• **Handle**

Bi-material handle for comfort grip



821 Spring Clamp



• **Engineering-grade**

Strong engineering-grade plastic in compliance with RoHS and REACH


• **Spring**

Special-grade spring steel for increased durability



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT82115000	85mm	38mm (1.5")	45N
DT82120000	110mm	50mm (2")	120N
DT82125000	150mm	68mm (2.5")	150N
DT82103000	175mm	75mm (3")	150N

623 Band Clamp



• **Movable Jaws**

The Movable jaws can be adjusted according to the shape of workpiece, Extra-large rubber pads provide superior power

• **Proprietary Rubber Band**

Proprietary rubber band is made from a tough, tear-resistant material

• **Spring Steel**

Special-grade spring steel for increased durability

• **Material**

Strong engineering-grade plastic body for durability



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT62300003	193mm	70mm	150N

824 Large Depth Spring Clamp



• **Large Depth**

For reaching workpiece far from edge

• **Spring Steel**

Special-grade spring steel for increased durability

• **Handle**

Ergonomic bi-material handle for comfortable grip



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT82400002	150mm	50mm (2")	60N
DT82400003	225mm	75mm (3")	70N

829 Adjustable Pressure Spring Clamp



• **Applications**

Adjustable clamping pressure

• **Special-Grade Spring Steel**

Special-grade spring steel for increased durability

• **Material**

Strong engineering-grade plastic in compliance with RoHS and REACH



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT82900001	115mm	30mm (1")	10~200N
DT82900002	165mm	50mm (2")	10~180N

825 Spring Clamp



• **Special-grade Spring Steel**

Special-grade spring steel for increased durability

• **Material**

Strong engineering-grade plastic in compliance with RoHS and REACH



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT82515000	85mm	38mm (1.5")	45N
DT82520000	110mm	50mm (2")	120N
DT82525000	150mm	68mm (2.5")	150N
DT82503000	175mm	75mm (3")	150N

826 Spring Clamp



• **Material**

Strong engineering-grade plastic in compliance with RoHS and REACH

• **Special-grade Spring Steel**

Special-grade spring steel for increased durability

• **Handle**

Ergonomic bi-material handle for comfortable grip



Art.No.	Length	Clamping Capacity	Clamping Force(N)
DT82600020	110mm	50mm (2")	120N
DT82600025	150mm	68mm (2.5")	150N
DT82600030	175mm	75mm (3")	150N
DT82600040	200mm	100mm (4")	140N

736 Construction Jack



• **Range**

Up to 10" lifting height

• **Button**

No load quick release


• **Lever**

Precision controlled lowering

• **TPU Protective Cover**

Protect the supporting surface from damage


Specialty Clamps




892 Aluminum Angle Clamp




816 Plastic Angle Clamp



817 Aluminum Angle Clamp




795 Mini Zinc C Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT79500000	25mm	90mm	500N

796 Plastic Quick Adjustment C Clamp




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT79600002	30mm	50mm (2")	250N
DT79600003	45mm	75mm (3")	1000N


656 Edge Clamp




790 Floor Clamp





791 Floor Strap Clamp





700 Door Clamp



730 Quick Corner Clamp




815 Belt Clamp




Measuring Tools


Squares and Rulers




608-7" Aluminum Set Square




608-3.5" Aluminum Set Square




612-7" Stainless Steel Set Square




612-3.5" Stainless Steel Set Square




619 Combination Square




626-7" Dual Color Rafter Square




604-12" Plastic Rafter Square




604-7" Plastic Rafter Square




869-160mm Aluminum Clamping Square




869-60mm Mini Aluminum Clamping Square




618 Stainless Steel Square




600 Stainless Steel Square




603 Carpenter Square




607 Carpenter Square




867 Clamping Square



610 Square Cut



605 Stainless Steel Square




Art.No.	Specifications(mm)	Size of product(LxWxH/mm)	Inner Size(LxW/mm)
DT60520300	300	300mmX150mmX20mm	280mmX130mm
DT60520500	500	500mmX250mmX20mm	480mmX230mm

606 Stainless Steel Straight Ruler




Spirit Level







528 Box Level




527 Box Level




526 Box Level




525 Box Level




522 Box Level




521 Box Level




520 Box Level



534-110mm Handy Box Level




533-65mm Pocket Level




532-90mm Handy Box Level



531-150mm Torpedo Level



530-100mm Torpedo Level



Caulking Guns

Caulking Guns



Convert Button

Switching between drip mode and non-drip mode



Front Holder

Front holder can rotate 360°



Unclog the nozzle

With a iron needle for dredging the silicon nozzle

Adjustable knob

The thrust ratio is adjustable from 12:1 to 24:1 (e.g, 12:1, 13:1, 14:1, etc.) to accommodate varying adhesive viscosities




Hook anywhere




Art.No.	Impelling ratio	Capacity(mm/ml)	Pressure Force(N)
DT92300000	12:1~24:1	310ml	200kg

635 Professional Caulking Gun



928 Professional Caulking Gun



639 Metal Caulking Gun



628 Heavy Duty Caulking Gun



634 Metal Caulking Gun



636 Professional Caulking Gun



630 Professional Caulking Gun



637 Professional Caulking Gun



931 One Hand Caulking Gun

Material

Strong engineering-grade plastic in compliance with RoHS and REACH

Pressure Rod

Pressing force up to 135kg

Handle

Front position grip allows one-handed operation. Ergonomic design for comfort grip



925 Value Caulking Gun

Material

Main body made from strong engineering-grade plastics for durable use. Thrust up to 130kg

Handle

Ergonomic design handle for comfortable grip

The Front Holder With Scales

The front holder with scales for easier operation



926 Caulking Gun

Material

Plastic housing made from strong engineering-grade plastics, durable

Reinforced Push Rod

Reinforced push rod, pressing force up to 135kg

Handle

Ergonomic design for comfort grip



922 Low Cost Caulking Gun

Material

Simple frame structure made of high quality engineering-grade plastics, home DIY first choice. Thrust up to 90kg

Handle

Ergonomic design handle for comfortable grip



Sausage Caulking Gun

638 Sausage Caulking Gun



Iron Needle
With an iron needle for dredging the silicon nozzle

Convert Button
Can be switched between non-drip mode and conventional mode

Material
Engineering-grade plastics body, strong and durable usage. Used for cartridges and sausage. Works with sizes: 310ml, 400ml, and 600ml
Thrust up to 135kg

Built-In Knife
With a built-in knife for cutting off the silicon nozzle

Front Aluminum Holder
Front aluminum holder can rotate 360°

629 Sausage Caulking Gun

Convert Button
Can be switched between non-drip mode and conventional mode

Material
Aluminum alloy die-cast body and spanner, greater strength
Thrust up to 135kg. Used for cartridges and sausage. Works with sizes: 310ml, 400ml, and 600ml

Front Aluminum Holder
Front aluminum holder can rotate 360°






Accessories



615 Grout Spreader

Product Features

TPU material, 5 shapes and multi-angle design
Surface molded scale for wear resistance



Applications


Male and female corner design suitable for different service conditions, both rough and smooth surfaces can be used.
Long shape design with multi-angle for using in narrow operating space



631 Grout Spreader

Product Features

TPU material, 4 shapes and multi-angle design. Surface stamped scale for wear resistance



Applications

Suitable for different service conditions, covering every edge and angle from 0mm to 28mm, corner and seam gluing is easier. Both rough and smooth surfaces can be used, apply glue from different angles



627 Grout Spreader

Material

High quality TPR materials




Material


Seamless joint with the nozzle Caulk and spread in one go

Product Features

Composed of R5/R10.
Two angles for different applications




633 Grout Spreader



632 Mortise Knife



616 Mortise Knife



624 Caulk Cap



642 Nozzle with Sealing Cap




Removable knob

- To protect the silicone from drying out and blocking the holes

Hanging Hole

Allow the nozzle to close with the sealant at any time



Nozzle

Universal white cone nozzle

Art.No.	Feature
DT64200000	With cap
DT64200001	Without cap

Storage

615-1 Grout Spreader



Product Features

TPU material with multi-angle design surface molded scale for wear resistance





Tool Boxes

IP65-Rated

Silicone gasket seals the lid to keep out dust and water

Durable Steel Latches

Steel latches make the locking and unlocking easily

Patented Auto-locking System

Customisable Internal Organizers

The internal tray design allows users to position items as desired

Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution

Impact Protection

Built with an impact-resistant PP body to withstand the toughest job site conditions

8" Rugged Wheels

Reinforced wheels are suitable for all kinds of jobsite conditions

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD003	3-Piece	525	459	802	14.25

721-21" 5-piece Modular System(2 Multi-Hooks included)-SET B

IP65-Rated

Silicone gasket seals the lid to keep out dust and water



Durable Steel Latches

Steel latches make the locking and unlocking easily



Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution



Impact Protection

Built with an impact-resistant PP body to withstand the toughest job site conditions



Patented Auto-locking System



Customisable Internal Organizers

The internal tray and bin design allows users to position items as desired



8" Rugged Wheels

Reinforced wheels are suitable for all kinds of jobsite conditions





Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD005	5-Piece	525	460	956	17.95

721-21" 5-piece Modular System-SET C

IP65-Rated

Silicone gasket seals the lid to keep out dust and water



Durable Steel Latches

Steel latches make the locking and unlocking easily



Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution



Impact Protection

Built with an impact-resistant PP body to withstand the toughest job site conditions




Patented Auto-locking System



Customisable Internal Organizers

The internal tray design allows users to position items as desired



8" Rugged Wheels

Reinforced wheels are suitable for all kinds of jobsite conditions





Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD015	5-Piece	525	460	908	14.25

721-21" 5-piece Tote, Modular & Drawer System-SET D



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD005	5-Piece	525	460	940	22.3

721-21" 5-piece Tote & Modular System-SET E



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD005	5-Piece	525	460	930	16.9

721-21" 3-piece Modular & Drawer System-SET F



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721NOMD3	3-Piece	525	459	776	14.8

721-21" 4-piece Modular & Drawer System-SET G



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721NOMD3	4-Piece	525	459	772	20.65

721-21" 3-piece Drawer Modular System-SET H




Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DRMD3	3-Piece	525	459	878	27.9

721-21" 4-piece Modular System-SET I




Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DRMD4	4-Piece	535	455	860	25.8

721-21" Modular Tool Storage - Small Box



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD00S	3-Piece	525	373	165	2.85

721-21" Modular Tool Storage - Medium Box



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD00M	3-Piece	525	373	280	3.45

721-21" Modular Tool Storage - Large Box



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721MD00L	3-Piece	525	459	385	8.4

721-21" 2+1 3-Drawer Unit

Two Interior Options

Organize Your Way-dividers for structure, or foam for custom fit



Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution

Impact Protection

Built with an impact-resistant pp body to withstand the toughest job site conditions

Locking System to prevent opening during transport

Patented Auto-Locking System

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DR013	2+1-Drawer	525	372	367	10

721-21" 2-Drawer Unit

Two Interior Options

Organize Your Way-dividers for structure, or foam for custom fit



Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution

Impact Protection

Built with an impact-resistant PP body to withstand the toughest job site conditions

Locking System to prevent opening during transport

Patented Auto-Locking System

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DR002	2-Drawer	525	372	367	8.7

721-21" Rolling 2-Drawer Unit

Optional Removable Telescoping Handle

The robust handles can be removed fully for storage in a covered truck bed

Durable Steel Rails for smooth drawer open & close

Integrated Side Accessory Holes

Allow adding quick-release accessories for a fully customizable solution



Impact Protection

Built with an impact-resistant PP body to withstand the toughest job site conditions

8" Rugged Wheels

Reinforced wheels are suitable for all kinds of jobsite conditions



Locking System to prevent opening during transport

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DR012	Rolling 2-Drawer	525	459	400	13.8

721-21" 3-Drawer Unit

Two Interior Options

Organize Your Way-dividers for structure, or foam for custom fit




Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DR003	3-Drawer	525	372	367	10.5

721-21" 4-Drawer Unit


Two Interior Options

Organize Your Way-dividers for structure, or foam for custom fit




Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721DR004	4-Drawer	525	372	367	11.2

721 Large Organizer



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721D0NEW	Deep	525	372	136	3.7

721 Half Organizer



Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721D00HF	Deep	235	370	115	1.7

721 Deep Organizer

Product Features

Dustproof and waterproof

Material

Transparent and impact resistant PC lid

Material

Bottom shell made from reinforced PP material

Interlocking System

Rotating Handle

Rotating handle covered with soft material for comfortable grip

Metal Buckle

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721D0001	Deep	440	354	106	2.060

721 Shallow Organizer

Product Features

Dustproof and waterproof

Material

Transparent and impact resistant PC lid

Metal Buckle

Fixed handle, can print LOGO

Interlocking System

Material

Bottom shell made from reinforced PP material

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)	Net Weight(kg)
DT721S0001	Shallow	440	348	64	1.580

721 Tote

Wider Opening

For more storage space, with pull handle

Storage Bag

On inner & outer side, for easy organization of items

Oxford Cloth

High strength and durable fabric

Waterproof Base

Achieve better protection effect

Patented Auto-Locking System

721 Soft Bag

Wider Opening

For more storage space, with rotate handle

Storage Bag

On inner & outer side, for easy organization of items

Oxford Cloth


High strength and durable fabric

Waterproof Base

Achieve better protection effect


Patented Auto-Locking System

721-21" Modular System



Art.No.	Length(mm)	Width(mm)	Height(mm)ww
DT721AS005	560	450	69

721-21" Modular System Worktop




Art.No.	Length(mm)	Width(mm)	Height(mm)ww
DT721AS004	525	365	49


721-21" Modular System Tool Carrier



721-21" Modular System Multi-Hooks



721-21" Modular System Bar Holders



613 Plastic Organizer

Transparent Body

Buckle
With anti-theft buckle

Applications
Used to store widgets

Size
215×95×30mm

A clear plastic rectangular organizer with a hinged lid and a buckle on the side. It is shown in two views: closed and open, revealing its interior compartments.


614 Plastic Organizer

Transparent Body

Buckle
With anti-theft buckle

Applications
Used to store widgets

Size
243×96×28mm

A clear plastic rectangular organizer, similar to 613 but slightly larger, with a hinged lid and a buckle. It is shown in two views: closed and open.


611 Plastic Organizer

Transparent Body

Buckle
With anti-theft buckle

Applications
Used to store widgets


Size
120×80×20mm

A clear plastic rectangular organizer, the smallest of the three, with a hinged lid and a buckle. It is shown in two views: closed and open.

621 Mixing Tub

Material
PE material, flexible and light,
generally used to store cement
slurry, sealant and other materials.


Dimensions: φ120x90mm

A red, tapered plastic mixing tub with a wide opening at the top and a narrower base. It is shown in a single view.

622 Mixing Tub

Material
PE material, flexible and light,
generally used to store cement
slurry, sealant and other materials.

Dimensions: φ150x50mm

A red, shallow plastic mixing tub with a wide opening and a flat bottom. It is shown in a single view.

720 Large Organizer


Interior Space

Internal separators for organizing the interior space



Optimized Locking

Optimized locking system design



Material

Transparent and impact resistant PP lid

Interlocking System


Printing Logo

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT720L0000	L	375	290	67	0.830

720 Medium Organizer

Interior Space

Internal separators for organizing the interior space



Material

Transparent and impact resistant PP lid

Interlocking System

Printing Logo

Material

Body made from strengthened PP mixture

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT720M0000	M	320	260	67	0.680

720 Small Organizer

Interior Space

Internal separators for organizing the interior space



Optimized Locking

Optimized locking system design

Printing Logo

Material

Body made from strengthened PP mixture

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT720S0000	S	290	220	67	0.480

739-16" Small Tool Box

Strong Lid

Reinforced structural lid

Big Box

Big box for big tools

Internal Tray

Internal tray for small tools or accessories

Locking System

Optimized locking system design

Handle

Ergonomic handle

IP65-Rated

Silicone gasket seals the lid to keep out dust and water

Polycarbonate Lids

Transparent organizers with polycarbonate lids

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT73900016	16"	403	232	198	1.50

739-19" Medium Tool Box

Material

Transparent organizers with polycarbonate lids

Gasket

Solid gasket ensures dustproof and water resistant

Handle

Bi-material handle for comfortable grip

Thickened Body

Thickened body made from strong engineering-grade plastics

Latches

Durable steel latches

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT73919008	19"	476	252	235	2.1



Jigs and Guides

739-22" Large Tool Box

Material

Transparent organizers with polycarbonate lids

Handle

Bi-material handle for comfortable grip

Gasket

Solid gasket ensures dustproof and water resistant

Thickened Body

Thickened body made from strong engineering-grade plastics

Art.No.	Capacity	Length(mm)	Width(mm)	Height(mm)ww	Net Weight(kg)
DT73900022	22"	552	276	270	3.0



Cutting Guides

886 Saw Plate



Cutting Indicator

A cutting indicator is located at the front of the saw plate, it can be adjusted from side to side to line up the cut line of the blade when the saw plated is used .

Material

Strong engineering-grade plastics for durable using

With Two Retaining Blocks

With two retaining blocks, the circular saw base can be fixed to the saw guide, suitable for almost all circular saws

876 Saw Plate

With Two Retaining Blocks

The circular saw base can be fixed to the saw guide, suitable for almost all circular saws

Cutting Indicator

A cutting indicator is located at the front of the saw plate, it can be adjusted from side to side to line up the cut line of the blade when the saw plated is used.



Applications

Compatible with Duratec 875 cutting guide



878 Cutting Guide & Extension

Aluminum Profile

High-strength aluminum profile, surface oxidation treatment, widened and thickened profile has T groove on the back, can be fixed on the workpiece table

Cushions

Widened clamping pad makes the force more uniform and protects the workpiece from damage.



Optional extension sizes: 25", 36", and 50" for meeting different sizes cutting requirement



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT87800024	/	600mm (24")	500N
DT87800036	/	900mm (36")	500N
DT87800050	/	1250mm (50")	500N

877 Cutting Guide

Material

High-strength aluminum profile, surface oxidized
Width: 189mm | Thickness: 12.5mm | Length: 800-1500mm (customizable)



Durable Glide Strips

Reduces drag for smooth and easy cutting

Optional Guide Rail Connectors

Connect multiple guide rails to meet cutting requirements of much longer sizes

Anti-chip Strip

Helps prevent material from tearing




Anti-slip Strips

Achieve stable and safe cutting



885 Cutting Guide



Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT88500024	/	600mm	1000N
DT88500036	/	900mm	1000N
DT88500050	/	1250mm	1000N

609 Bevel Gauge



Miter Box

DURATEC
POWERED BY INNOVATION

Miter Box

801 Miter Box

- Material**
Engineering-grade plastics, durable, and wear-resistant.
Inner size: 250 x 50 x 35mm
- Multi-Angle Cutting Guides**
45°, 22.5°, 90° multi-angle cutting guides, make cutting convenient and fast
- Metric Scales**
One side with moulded metric scales, measurable



802 Miter Box

- Material**
Engineering-grade plastics, durable, and wear-resistant.
Inner size: 285 x 90 x 55mm
- Multi-Angle Cutting Guides**
45°, 22.5°, 90° cutting guides make cutting convenient and fast



803 Miter Box


- Material**
Works with pegs, capable of stabilizing workpiece
- Angle Cut**
With 22.5°, 45°, and 90° cutting guide slots
- 45 Degree Cutting Guide Groove**
With 45° longitudinal cutting guide groove



811 Miter Box



812 Clamping Miter Box



Drilling Jigs



617 Centering Jig

Choices of Diameter


Select the hole and screw on the appropriate bushing

Packaging

Transparent box with white foam lining

Bit Scales

Scales to determine hole depth



789 Drilling Guide

Silk Printing

Silk printing logo and scales look clearer

Dual Unit System

Metric or Imperial

Anti-Slip Design

Anti-slip surfaces design


Hardened Steel Drill Guides

Built-In Hole

Built-in hole alignment marks

V-Groove

V-groove design for usage on corners and cylindrical surfaces



787 Pocket Hole Jig

Material

Main body nylon material

Soft Rubber


Soft rubber on the back to increase the friction with the workpiece

Drill Bushing

Drill Bushing 3/8"(9.5MM)
Heat treatment HRC60 degrees

9.5mm Hardened Step Drill Bit

Laser-etched scale for quick-lock depth stop, adaptable to wood slabs of varying thicknesses



Workbench Jigs




663 Horizontal Workbench Clamp

Optional 20mm or 3/4" versions

Handle
Long leverage design and durable nylon handle

Applications
Suitable for even round or flat workpiece

Steel Rail
Induction hardened C45 rail ensures stable clamping force up to 70kg



662 Vertical Workbench Clamp

Rotating Jaw
Rotating jaw for uneven surfaces

Steel Rail
Induction-hardened C45 steel rail

Fastening Screws
Clamp the table surface tightly through the 20mm dog hole even without fastening screws

Quick Release Trigger
Can be quickly moved by pressing the trigger

Handle
Long leverage design and durable nylon handle




Art.No.	Depth	Clamping Capacity	Clamping Force(N)
DT66260XXX	60mm	100mm~400mm	600N

518 Drywall Template

Scale
Integrated 24cm ruler for accurate positioning

Easy Horizontal
With horizontal and vertical vials for easy horizontal measureme

Standard Size Socket Holes
Socket holes in standard 68mm, Also with marks for common hole spacing 71mm, 91mm and 57m



668 Bench Dog

Material
Made from engineering-grade plastics

Product Features
Non-slip design;
Made from more durable TPU;
Widened and soft cushion for stable hold and protecting the surface of workpiece.
Fits 4/5" (20mm) and 3/4 inch diameter bench dog hole.




799 Track Clamp

Grooves For Adjusting
3 grooves for adjusting the clamping ranges

Adjust Placement
Easy to adjust placement

Anti-Slip Surfaces
Anti-slip surfaces design

Applications




Wire Strippers


Wire Strippers



511 3-in-1 Cable Stripper



517 Multi Purpose Stripper



515 Wire Stripper



510 Wire Stripper



Clamps & Vises

Parallel Clamps

699 Heavy Duty Parallel Clamp	01
691 Heavy Duty Parallel Clamp	02
690 Heavy Duty Parallel Clamp	03
693 Parallel Clamp	03
899 Parallel Clamp	04
898 Light Duty Parallel Clamp	04
696 Swivel Jaw	05
695 Swivel Jaw	05
697 Joint Bridge	06
692 Parallel Clamp Block	06
694 Parallel Clamp Positioning Block	06

Quick Clamps

661-90mm Ultra Heavy Duty Bar Clamp	08
661-80mm Heavy-Duty Bar Clamp	09
661-65mm Medium-Duty Bar Clamp	09
661-60mm Light-Duty Bar Clamp	10
661-35mm Micro Bar Clamp	10
733-90mm Ultra Heavy Duty Bar Clamp	11
733-80mm Heavy Duty Bar Clamp	12
733-70mm Medium Duty Bar Clamp	12
660-90mm Heavy Duty Bar Clamp	13
660-80mm Heavy Duty Bar Clamp	13
660-65mm Medium Duty Bar Clamp	14
858-90mm Heavy Duty Bar Clamp	14
858-75mm Heavy Duty Bar Clamp	15
858-65mm Medium Duty Bar Clamp	15
858-30mm Micro Bar Clamp	16
652-65mm Value Bar Clamp	16
652-60mm Value Bar Clamp	17
654-65mm Value Bar Clamp	17
855-60mm Bar Clamp	18
855-30mm Bar Clamp	18
856-60mm Bar Clamp	19
856-80mm Bar Clamp	19
650 Lever Clamp	20
772 Lever Clamp	20
773 Track Lever Clamp	21
775 Workbench Clamp	21
640 Light Lever Clamp	22
641 Aluminum Lever Clamp	22
666 Bar Clamp Coupler	23
667 Extended Jaw	23

665 Rotating Jaw	23
658 Bar Clamp Base	24
659 Corner Clamp	24
664 Vertical Workbench Clamp Accessories	24
661T-60mm Track Clamp	25
651 Deck Clamp	25

Screw Clamps

863 Heavy-Duty F Clamp	27
862 F Clamp	27
865 Heavy-Duty F Clamp	28
861 F Clamp	28
860 Value F Clamp	29
866 Zinc F Clamp	29
777 F Clamp	30
774 Track Clamp	30
864 Pipe Clamp	31
681 Clutch Style Plastic F Clamp	31
683 Clutch Style F Clamp	32
680 Plastic F Clamp	32
797 Heavy Duty G Clamp	33
798 G Clamp	33

Light-duty Clamps

822 Spring Clamp	35
620 Ratchet Clamp	35
828 Clamp & Level	36
821 Spring Clamp	36
623 Band Clamp	37
824 Large Depth Spring Clamp	37
829 Adjustable Pressure Spring Clamp	38
825 Spring Clamp	38
826 Spring Clamp	39
736 Construction Jack	39

Specialty Clamps

892 Aluminum Angle Clamp	41
816 Plastic Angle Clamp	41
817 Aluminum Angle Clamp	42
795 Mini Zinc C Clamp	42
796 Plastic Quick Adjustment C Clamp	42
656 Edge Clamp	43
790 Floor Clamp	43
791 Floor Strap Clamp	43
700 Door Clamp	44

730 Quick Corner Clamp	44
815 Belt Clamp	44

Measuring Tools

Squares and Rulers

608-7" Aluminum Set Square	47
608-3.5" Aluminum Set Square	47
612-7" Stainless Steel Set Square	48
612-3.5" Stainless Steel Set Square	48
619 Combination Square	49
626-7" Dual Color Rafter Square	49
604-12" Plastic Rafter Square	50
604-7" Plastic Rafter Square	50
869-160mm Aluminum Clamping Square	51
869-60mm Mini Aluminum Clamping Square	51
618 Stainless Steel Square	52
600 Stainless Steel Square	52
603 Carpenter Square	53
607 Carpenter Square	53
867 Clamping Square	54
610 Square Cut	54
605 Stainless Steel Square	55
606 Stainless Steel Straight Ruler	55

Spirit Level

550 Box Level	57
528 Box Level	58
527 Box Level	58
526 Box Level	59
525 Box Level	59
522 Box Level	60
521 Box Level	60
520 Box Level	61
534-110mm Handy Box Level	61
533-65mm Pocket Level	62
532-90mm Handy Box Level	62
531-150mm Torpedo Level	63
530-100mm Torpedo Level	63

Caulking Guns

923 Thrust-adjustable Caulking Gun	66
635 Professional Caulking Gun	67
928 Professional Caulking Gun	67
639 Metal Caulking Gun	68
628 Heavy Duty Caulking Gun	68
634 Metal Caulking Gun	69

630 Professional Caulking Gun	69
636 Professional Caulking Gun	70
637 Professional Caulking Gun	70
931 One Hand Caulking Gun	71
926 Caulking Gun	71
925 Value Caulking Gun	72
922 Low Cost Caulking Gun	72

Sausage Caulking Gun

638 Sausage Caulking Gun	74
629 Sausage Caulking Gun	74

Accessories

631 Grout Spreader	75
615 Grout Spreader	76
627 Grout Spreader	76
633 Grout Spreader	77
632 Mortise Knife	77
616 Mortise Knife	78
624 Caulk Cap	78
642 Nozzle with Sealing Cap	79
615-1 Grout Spreader	79

Storage

Tool Boxes

721-21" 3-piece Modular System-SET A	82
721-21" 5-piece Modular System (2 Multi-Hooks included)-SET B	83
721-21" 5-piece Modular System-SET C	84
721-21" 5-piece Tote, Modular & Drawer System-SET D	85
721-21" 5-piece Tote & Modular System-SET E	86
721-21" 3-piece Modular & Drawer System-SET F	87
721-21" 3-piece Modular & Drawer System-SET G	88
721-21" 3-piece Drawer Modular System-SET H	89
721-21" 4-piece Modular System-SET I	90
721-21" Modular Tool Storage - Small Box	91
721-21" Modular Tool Storage - Medium Box	91
721-21" Modular Tool Storage - Large Box	92
721-21" 2+1 3-Drawer Unit	93

721-21" 2-Drawer Unit	93
721-21" Rolling 2-Drawer Unit	94
721-21" 3-Drawer Unit	95
721-21" 4-Drawer Unit	95
721 Large Organizer	96
721 Half Organizer	96
721 Deep Organizer	97
721 Shallow Organizer	97
721 Tote	98
721 Soft Bag	98
721-21" Modular System	99
721-21" Modular System Worktop	99
721-21" Modular System Tool Carrier	100
721-21" Modular System Multi-Hooks	100
721-21" Modular System Bar Holders	100
613 Plastic Organizer	101
614 Plastic Organizer	101
611 Plastic Organizer	101
621 Mixing Tub	102
622 Mixing Tub	102
720 Large Organizer	103
720 Medium Organizer	103
720 Small Organizer	103
739-16" Small Tool Box	104
739-19" Medium Tool Box	104
739-22" Large Tool Box	105

Jigs and Guides
Cutting Guides

886 Saw Plate	108
876 Saw Plate	108
878 Cutting Guide & Extension	109
877 Cutting Guide	110
885 Cutting Guide	111
609 Bevel Gauge	112

Miter Boxes

801 Miter Box	114
802 Miter Box	114
803 Miter Box	114
811 Miter Box	115
812 Clamping Miter Box	115

Drilling Jigs

617 Centering Jig	117
789 Drilling Guide	117
787 Pocket Hole Jig	117

Workbench Jigs

663 Horizontal Workbench Clamp	119
662 Vertical Workbench Clamp	119
518 Drywall Template	120
668 Bench Dog	120
799 Track Clamp	120

Wire Strippers

511 3-in-1 Cable Stripper	123
515 Wire Stripper	123
517 Multi Purpose Stripper	124
510 Wire Stripper	124

***New
Products
Coming
Soon!***